Instr #2021107548 BK: 5383 PG: 1858, Filed & Recorded: 10/1/2021 1:23 PM #Pgs:4 Brandon J. Patty, Clerk of the Circuit Court and Comptroller St. Johns County FL Recording \$35.50

This space reserved for use by the Clerk of the Circuit Court

This instrument was prepared by and upon recording should be returned to:

Katie S. Buchanan, Esq. HOPPING GREEN & SAMS, P.A. 119 South Monroe Street, Suite 300 (32301) Post Office Box 6526 Tallahassee, Florida 32314

NOTICE OF ESTABLISHMENT OF THE LONGLEAF PINE COMMUNITY DEVELOPMENT DISTRICT

PLEASE TAKE NOTICE that on September 21, 2021, pursuant to a petition filed by ICI Crossroads Holdings, LLC, the Board of County Commissioners of St. Johns County, Florida adopted Ordinance No. 2021-67 which became effective on September 23, 2021, establishing the Longleaf Pine Community Development District ("District"). The legal description of the lands encompassed within the District is attached hereto as **Exhibit A**. The District is a special-purpose form of local government established pursuant to and governed by Chapter 190, Florida Statutes. More information on the powers, responsibilities, and duties of the District may be obtained by examining Chapter 190, Florida Statutes, or by contacting the District's registered agent as designated to the Department of Economic Opportunity in accordance with Section 189.014, Florida Statutes.

THE LONGLEAF PINE COMMUNITY DEVELOPMENT DISTRICT MAY IMPOSE AND LEVY
TAXES OR ASSESSMENTS, OR BOTH TAXES AND ASSESSMENTS, ON THIS PROPERTY. THESE
TAXES AND ASSESSMENTS PAY THE CONSTRUCTION, OPERATION AND MAINTENANCE COSTS OF

BK: 5383 PG: 1859

CERTAIN PUBLIC FACILITIES AND SERVICES OF THE DISTRICT AND ARE SET ANNUALLY BY THE GOVERNING BOARD OF THE DISTRICT. THESE TAXES AND ASSESSMENTS ARE IN ADDITION TO COUNTY AND OTHER LOCAL GOVERNMENT TAXES AND ASSESSMENTS AND ALL OTHER TAXES AND ASSESSMENTS PROVIDED FOR BY LAW.

IN WITNESS WHEREOF, this Notice has been executed on this 1^{S_1} day of October, 2021, and recorded in the Official Records of St. Johns County, Florida.

Katie S. Buchanan

Hopping, Green & Sams, P.A.

Witness

Print Name

Witness

Gabe McKer

Print Name

STATE OF FLORIDA COUNTY OF LEON

The foregoing instrument was acknowledged before me by means of physical presence or online notarization, this day of October 2021, Katie S. Buchanan, who appeared before me this day in person, and who is either personally known to me, or produced as identification.

A

KAREN F. JUSEVITCH
Commission # GG 242250
Expires November 25, 2022
Bonded Thru Troy Fain Insurance 800-385-7019

(NOTARY SEAL)

NOTARY PUBLIC, STATE OF FLORIDA

Name: KorenF. Lusentch

(Name of Notary Public, Printed, Stamped or

Typed as Commissioned)

LONGLEAF PINE CDD

PARCEL No. 1 (NORTHWEST PARCEL)

A PARCEL OF LAND, CONSISTING OF A PORTION OF SECTIONS 2 AND 11, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ST. JOHNS COUNTY, FLORIDA, SAID PARCEL OF LAND BEING MORE PARTICULARLY DESCRIBED

FOR A POINT OF BEGINNING, BEGIN AT THE MOST SOUTHEASTERLY CORNER OF TRACT "B". AS SHOWN ON THE PLAT OF "JULINGTON LAKES - PHASE 1". AS RECORDED IN MAP BOOK 77, PAGES 45 THROUGH 53 OF THE PUBLIC RECORDS OF SAID ST JOHNS COUNTY, FLORIDA, SAID POINT ALSO LYING ON THE NORTHERLY NORTHERLY RIGHT-OF-WAY LINE OF COUNTY ROAD 244 WEST, (ALSO KNOWN AS LONGLEAF PINE PARKWAY). AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 59, PAGES 51 THROUGH 67 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA, AND RUN THENCE, ALONG THE EASTERLY BOUNDARY OF SAID TRACT "B", AS SHOWN ON THE PLAT OF "JULINGTON LAKES - PHASE 1", AS RECORDED IN MAP BOOK 77, PAGES 45 THROUGH 53 OF THE PUBLIC RECORDS OF SAID ST JOHNS COUNTY, FLORIDA, THE FOLLOWING FOUR (4) COURSES AND DISTANCES:

COURSE No. 1: RUN THENCE, NORTH 09'04'52" EAST, A DISTANCE OF 410.18 FEET, TO A POINT; COURSE No. 2: RUN THENCE, NORTH 79'54'52" WEST, A DISTANCE OF 142.31 FEET, TO A POINT; COURSE No. 3: RUN THENCE, NORTH 38"27"50" EAST, A DISTANCE OF 319.30 FEET, TO A POINT, COURSE No. 4: RUN THENCE, NORTH 07"12"52" EAST, A DISTANCE OF 802.74 FEET, TO A POINT ON THE SOUTHERLY LINE OF THOSE LANDS DESCRIBED AND RECORDED IN THAT SPECIAL WARRANTY DEED (PARK DONATION), FROM RAYLAND, LLC TO ST. JOHNS COUNTY, FLORIDA, AS RECORDED IN OFFICIAL RECORDS BOOK 2288, PAGE 810; RUN THENCE, ALONG THE BOUNDARY LINES OF LAST SAID LANDS, THE FOLLOWING THIRTEEN (13) COURSES AND DISTANCES:

COURSE No. 1: RUN THENCE, SOUTH 72'48'45" EAST, A DISTANCE OF 108.53 FEET, TO A POINT; COURSE No. 2: RUN THENCE, SOUTH 07'38'08" WEST, A DISTANCE OF 98.34 FEET, TO A POINT; COURSE No. 3: RUN THENCE, SOUTH 75'18'10" EAST, A DISTANCE OF 189.39 FEET, TO A POINT; COURSE No. 4: RUN THENCE, NORTH 58'22'41" EAST, A DISTANCE OF 284.64 FEET, TO A POINT; COURSE No. 5: RUN THENCE, NORTH 14'54'45" WEST, A DISTANCE OF 212.71 FEET, TO A POINT; COURSE No. 7: RUN THENCE, NORTH 8013'55" EAST, A DISTANCE OF 382.87 FEET, TO A POINT; COURSE No. 8: RUN THENCE, NORTH 8857'54" EAST, A DISTANCE OF 141.23 FEET, TO A POINT; COURSE No. 9: RUN THENCE, SOUTH 8759'28" WEST, A DISTANCE OF 112.85 FEET, TO A POINT; COURSE No. 10: RUN THENCE, NORTH 04'35'59" WEST, A DISTANCE OF 182.11 FEET, TO A POINT; COURSE NO. 19: RUN THENCE, SOUTH 8759'28" WEST, A DISTANCE OF 112.65 FEET, TO A POINT; COURSE NO. 10: RUN THENCE, NORTH 04'35'59" WEST, A DISTANCE OF 182.11 FEET, TO A POINT; COURSE NO. 11: RUN THENCE, SOUTH 29'44'51" EAST, A DISTANCE OF 385.59 FEET, TO A POINT; COURSE NO. 12: RUN THENCE, SOUTH 29'44'51" EAST, A DISTANCE OF 385.59 FEET, TO A POINT; COURSE NO. 13: RUN THENCE, SOUTH 78'18'04" EAST, A DISTANCE OF 202.27 FEET, TO A POINT ON THE WESTERLY RIGHT—0F—WAY LINE OF COUNTY ROAD 223 — NORTH SEGMENT, (ALSO KNOWN AS WETERANS PARKWAY), AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 59, PAGES 68 THROUGH 72 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA; RUN THENCE, ALONG THE AFORESAID WESTERLY RIGHT—0F—WAY LINE OF SAID COUNTY ROAD 223 — NORTH SEGMENT, (ALSO KNOWN AS VETERANS PARKWAY), THE FOLLOWING THREE (3) COURSES AND DISTANCES:
COURSE NO. 1: RUN THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE SOUTHEASTERLY, AND HAVING A RADIUS OF 2,940.00 FEET, THROUGH A CENTRAL ANGLE OF 05'35'49"
TO THE LEFT, AN ARC DISTANCE OF 308.88 FEET, TO THE POINT OF REVERSE CURVATURE, OF A CURVE LEADING SOUTHWESTERLY, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF

SOUTH 09"04"21" WEST, 306,72 FEET;

COURSE NO. 2: RUN THENCE SOUTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHWESTERLY, AND HAVING A RADIUS OF 2,780,00 FEET, THROUGH A CENTRAL ANGLE OF 2817'38" TO THE RIGHT. AN ARC DISTANCE OF 1,377.76 FEET. TO A POINT OF CUSP OF A CURVE, OF A CURVE LEADING NORTHWESTERLY, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 2013/14" WEST. 1,383,80 FEET: DEPARTING FROM THE AFORESAID WESTERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD 223 - NORTH SEGMENT. AND ALONG AND AROUND THE ARC OF A CURVE, LEADING NORTHWESTERLY, AND HAVING A RADIUS OF 25.00 FEET, THROUGH A CENTRAL ANGLE OF 91'08'23" TO THE LEFT, AN ARC DISTANCE OF 39.77 FEET, TO A POINT OF TANGENCY OF LAST SAID CURVE, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 1112'08" WEST, 35.71 FEET; RUN THENCE, NORTH 56'48'20" WEST, ALONG LAST SAID TANGENCY, A DISTANCE OF 303.63 FEET, TO A POINT OF INTERSECTION; RUN THENCE, NORTH 51'03'42" WEST, A DISTANCE OF 15.06 FEET, TO A POINT ON THE ARC OF A CURVE, LEADING SOUTHWESTERLY; RUN THENCE, SOUTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHWESTERLY, AND HAVING A RADIUS OF 2,445,98 FEET, THROUGH A CENTRAL ANGLE OF 04'41'40" TO THE RIGHT, AN ARC DISTANCE OF 200.41 FEET, TO THE POINT OF REVERSE CURVATURE, OF A CURVE CONTINUING SOUTHWESTERLY, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 3614'34" WITE SOUTH 3614'34" WITE SOUTH SOUTH STERLY, AND HAVING A RADIUS OF 3,284.00 FEET, THROUGH A CENTRAL ANGLE OF 1128'42" TO THE LEFT, AN ARC DISTANCE OF 857.90 FEET, TO A POINT ON THE NORTHERLY RIGHT-OF-WAY LINE OF SAID COUNTY ROAD 244 WEST, (ALSO KNOWN AS LONGEAR PINE PARKWAY), SAID POINT ALSO BEING ON THE ARC OF A CURVE, LEADING NORTHWESTERLY, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 32'51'03" WEST, 656.80 FEET: RUN THENCE. NORTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE SOUTHWESTERLY, AND HAVING A RADIUS OF 2,840,00 FEET, THROUGH A CENTRAL ANGLE OF 10"33"15" TO THE LEFT, AN ARC DISTANCE OF 541,56 FEET. TO THE AFORESAID MOST SOUTHEASTERLY CORNER OF TRACT "B". "JULINGTON LAKES - PHASE 1". AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 77, PAGES 45 THROUGH 53 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 70 40 21 WEST, 540,79 FEET,

THE LANDS THUS DESCRIBED CONTAINS 2,118,472 SQUARE FEET, OR 48.63 ACRE. MORE OR LESS. IN AREA

LONGLEAF PINE COD PARCEL 2 (NORTHEAST PARCEL)

A PARCEL OF LAND BEING A PORTION OF SECTION 11, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ST. JOHNS COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FOR A POINT OF BEGINNING, BEING AT THE MOST SOUTHWEST CORNER OF TRACT "A", (STORWWATER MANAGEMENT FACILITY", AS SHOWN ON THE PLAT OF "COUNTY ROAD 223-NORTH SEGMENT", AS RECORDED IN MAP BOOK 59, PAGES 68 THROUGH 72 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA, AND RUN THENCE, NORTH 89"8"41" EAST, ALONG THE SOUTHERLY LINE OF SAID TRACT "A", (STORMWATER MANAGEMENT FACILITY), AND ALSO BEING THE COMMON BOUNDARY LINE BETWEEN SECTIONS 2 AND 11, TOWNSHIP 5 SOUTH, RANGE 27 EAST, A DISTANCE OF 1,580,67 FEET, TO A POINT; RUN THENCE SOUTH 02"46"59" EAST, A DISTANCE OF 1,734.45 FEET, TO THE NORTHWEST CORNER OF TRACT 1 (OPEN AREA), DURBIN CROSSING SOUTH PHASE 1; AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 59, PAGES 73 THROUGH 100 OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA; CONTINUE TO RUN SOUTH 02'46'59" EAST, ALONG THE AFORESAID WESTERLY LINE OF TRACT 1 (OPEN AREA), A DISTANCE OF 753.74 FEET, TO A POINT ON THE NORTHERLY RIGHT-OF-WAY LINE OF COUNTY ROAD 244 EAST, (ALSO KNOWN AS LONGLEAF PINE PARKWAY), AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 59, PAGES 13 THROUGH 21 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA; RUN THENCE, ALONG THE

NORTHERLY RIGHT-OF-WAY LINE THE FOLLOWING TWO (2) COURSES AND DISTANCES:
COURSE NO. 1: RUN THENCE, NORTH 89'06 24' WEST, A DISTANCE OF 197:57 FEET, TO THE POINT OF CURVATURE, OF A CURVE LEADING NORTHWESTERLY;
COURSE NO. 2: RUN THENCE, NORTH 89'06 24' WEST, A DISTANCE OF 197:57 FEET, TO THE POINT OF CURVATURE, OF A CURVE LEADING NORTHWESTERLY;
COURSE NO. 2: RUN THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHEASTERLY, AND HAVING A RADIUS OF 2,790.00 FEET, THROUGH A CENTRAL ANGLE OF 11'45'20'TO THE RIGHT, AN ARC DISTANCE OF 572.43 FEET, TO SOUTHEAST CORNER OF TRACT "A", (STORNWATER MANAGEMENT FACILITY), AS SHOWN ON THE AFORESAID PLAT OF "COUNTY ROAD 244 EAST", LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 83*13*44* WEST, 571.43 FEET; RUN THENCE, ALONG

THE BOUNDARIES OF SAID TRACT 'A STORMWATER MANAGEMENT FACILITY, THE FOLLOWING FIVE (5) COURSES AND DISTANCES.

OURSE NO. 1: RUN THENCE, NORTH 2336 55 MEST, A DISTANCE OF 225.6 FEET, TO A POINT; COURSE NO. 2: RUN THENCE, NORTH 55*59 29 WEST, A DISTANCE OF 67.88 FEET, TO A POINT; COURSE NO. 4: RUN THENCE, NORTH 67*41 52*WEST, A DISTANCE OF 171.53 FEET, TO A POINT;

COURSE NO. 5: RUN THENCE, SOUTH 2218 08 WEST, A DISTANCE OF 250,00 FEET, TO A POINT, ON THE AFORESAID NORTHERLY RIGHT-OF-WAY LINE OF "COUNTY ROAD 244 EAST" (ALSO KNOWN AS LONGLEAF PINE PARKWAY): RUN THENCE, ALONG THE AFORESAID NORTHERLY RIGHT-OF-WAY LINE, THE FOLLOWING COURSE AND DISTANCE:

COURSE NO. 1: RUN THENCE NORTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHEASTERLY, AND HAVING A RADIUS OF 2,780,00 FEET, THROUGH A CENTRAL ANGLE OF 02'08'18" TO THE RIGHT, AN ARC DISTANCE OF 104.91 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 66'37'15" WEST, 104.90 FEET; RUN THENCE, NORTHERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE WESTERLY, AND HAVING A RADIUS OF 25.00 FEET, THROUGH A CENTRAL ANGLE OF 92'09'15" TO THE LEFT, AN ARC DISTANCE OF 40.21 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 68'22'46" EAST, 36.01 FEET; RUN THENCE, NORTH 22'18'08" EAST, ALONG LAST SAID TANGENCY, A DISTANCE OF 398.47 FEET, TO THE POINT OF CURVATURE, OF A CURVE LEADING NORTHERLY, RUN THENCE NORTHERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE EASTERLY, AND HAVING A RADIUS OF 30,379.28 FEET, THROUGH A CENTRAL ANGLE OF CO'01'50" TO THE RIGHT, AN ARC DISTANCE OF 16.21 FEET, TO A POINT ON THE ARC OF A CURVE, LEADING NORTHWESTERLY, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 2139'59" EAST, 18.21 FEET; RUN THENCE, NORTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHEASTERLY, AND HAVING A RADIUS OF 2,349.89 FEET, THROUGH A CENTRAL ANGLE OF 05'25'4" TO THE RIGHT, AN ARC DISTANCE OF 222.29 FEET, TO THE POINT OF TRANGENCY OF LAST SAID CRUPE, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 63'03'29" WEST, 222.21 FEET; RUN THENCE, NORTH 60'20'52" WEST, A DISTANCE OF 325.86 FEET, TO A POINT OF HENCE, NORTH 55'35'12" WEST, A DISTANCE OF 325.86 FEET, TO A POINT OF HENCE, NORTH 55'35'12" WEST, A DISTANCE OF 325.86 FEET, TO A POINT OF HENCE, NORTH 55'35'12" WEST, A DISTANCE OF 325.86 FEET, TO A POINT OF HENCE, NORTH 55'35'12" WEST, A DISTANCE OF 325.86 FEET, TO THE POINT OF CURVAINE. CURVE LEADING SOUTHWESTERLY, RUN THENCE, SOUTHWESTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE SOUTHEASTERLY, AND HAVING A RADIUS OF 25.00 FEET, THROUGH A CENTRAL ANGLE OF 88*56*14* TO THE LEFT, AN ARC DISTANCE OF 38.81 FEET, TO A POINT OF CUSP OF A CURVE. ON THE AFORESAID EASTERLY RIGHT-OF-WAY LINE OF "COUNTY ROAD NO. 223-NORTH SEGMENT", (ALSO KNOWN AS LONGLEAF PINE PARKWAY). AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 59, PAGES 68 THROUGH 72 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 78'45'33" WEST, 35.03 FEET; RUN THENCE, NORTHERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHWESTERLY, AND ALSO BEING THE AFORESAID EASTERLY RIGHT—OF—WAY LINE OF "COUNTY ROAD No. 223—NORTH SEGMENT", (ALSO KNOWN AS LONGLEAF PINE PARKWAY), HAVING A RADIUS OF 2,940,00 FEET, THROUGH A CENTRAL ANGLE OF 18'44'29" TO THE LEFT, AN ARC DISTANCE OF 96',68 FEET, TO THE AFORESAID MOST SOUTHWEST CORNER OF TRACT "A", (STORMWATER MANAGEMENT FACILITY", AS SHOWN ON THE PLAT OF "COUNTY ROAD 223—NORTH SEGMENT", AS RECORDED IN MAP BOOK 59, PAGES 68 THROUGH 72 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF NORTH 24'55'12" EAST, 957.39 FEET,

THE LANDS THUS DESCRIBED CONTAINS 3.687.410 SQUARE FEET, OR 84.65 ACRES, MORE OR LESS, IN AREA.

LONGLEAF PINE COMMUNITY DEVELOPMENT DISTRICT

EXHIBIT 2

PARCEL LEGAL DESCRIPTIONS

May 25, 2021

LONGLEAF PINE COMMUNITY DEVELOPMENT DISTRICT

LONGLEAF PINE COD PARCEL 3 (SOUTHWEST PARCEL)

A PARCEL OF LAND, CONSISTING OF A PORTION OF SECTIONS 3, 10, AND 11, TOWNSHIP 5 SOUTH, RANGE 27 EAST, ST. JOHNS COUNTY, FLORIDA, SAID PARCEL OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FOR A POINT OF BEGINNING, BEGIN AT THE INTERSECTION OF THE EAST LINE OF TRACT "A", ABERDEEN (PARCEL "CC2B"), AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 61, PAGES 43 THROUGH 48 OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA. WITH THE SOUTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 244 WEST, (LONGLEAF PARKWAY), AS SHOWN ON THE PLAT THEREOF, RECORDED IN MAP BOOK 58, PAGES 51 THROUGH 67 OF THE PUBLIC RECORDS OF ST. JOHNS COUNTY, FLORIDA. AND RUN THENCE, ALONG THE AFORESAID SOUTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 244 WEST, THE FOLLOWING FOUR (4) COURSES AND DISTANCES:

COURSE No. 1: RUN THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF A CURVE, LEADING SOUTHEASTERLY, AND HAVING A RADIUS OF 975.00 FEET, THROUGH A CENTRAL ANGLE OF 35'14'31" TO THE right, an arc distance of 599.71 feet, to the point of tangency of last said curve, said arc being subtended by a chord bearing and distance of south 56'50'25" east, 590.30 feet; COURSE No. 2: RUN THENCE, SOUTH 39'3'09" EAST, ALONG LAST SAID TANGENCY, A DISTANCE OF 589.18 FEET TO THE POINT OF CURVATURE, OF A CURVE LEADING SOUTHEASTERLY; COURSE No. 3: THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHEASTERLY, AND HAVING A RADIUS OF 1,125.00 FEET, THROUGH A CENTRAL ANGLE OF 42'24'46"

TO THE LEFT, AN ARC DISTANCE OF 832.77 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 80'25'32" EAST, 813.89

COURSE No. 4: SOUTH 81'37'55" EAST, ALONG LAST SAID TANGENCY, A DISTANCE OF 833.35 FEET, TO THE NORTHWEST CORNER OF TRACT "C", (STORM WATER MANAGEMENT FACILITY), AS SHOWN ON THE AFORESAID PLAT OF COUNTY ROAD 244 WEST; RUN THENCE, ALONG THE AFORESAID BOUNDARIES OF SAID TRACT "C", THE FOLLOWING THREE (3) COURSES AND DISTANCES:

COURSE No. 1: RUN THENCE, SOUTH 08'22'05" WEST, A DISTANCE OF 278.28 FEET, TO A POINT; COURSE No. 2: RUN THENCE, SOUTH 81'37'55" EAST, A DISTANCE OF 180.00 FEET. TO A POINT: COURSE NO. 3: RUN THENCE, NORTH 08"22"05" EAST, A DISTANCE OF 278.28 FEET, TO A POINT ON THE AFORESAID SOUTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 244 WEST; RUN THENCE, ALONG THE AFORESAID SOUTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 244 WEST, THE FOLLOWING TWO (2) COURSES AND DISTANCES.
COURSE No. 1: RUN THENCE, SOUTH 813755 EAST, A DISTANCE OF 820.03 FEET TO THE POINT OF CURVATURE OF A CURVE LEADING SOUTHEASTERLY,
COURSE No. 2: RUN THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 2,780.00 FEET, THROUGH A CENTRAL ANGLE OF

08'37'45' TO THE RIGHT, AN ARC DISTANCE OF 420.19 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 77'19'02' EAST, 418.79 FEET; RUN THENCE, SOUTH 16'59'50' MEST, A DISTANCE OF 401.49 FEET, TO A POINT; RUN THENCE, SOUTH 49'35'04' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 49'35'04' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'35' EAST, A DISTANCE OF 341.01 FEET, TO A POINT; RUN THENCE, SOUTH 6'28'S EAST, A DISTANCE OF 34 COUNTY 223 SOUTH (VETERANS PARKWAY) AS PER SAID INSTRUMENT RECORDED IN OFFICIAL RECORDS BOOK 3329, PAGE 825 OF SAID PUBLIC RECORDS, THE FOLLOWING FIVE (5) COURSES AND DISTANCES: COURSE No. 1: RUN THENCE SOUTHERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE EASTERLY AND HAVING A RADIUS OF 1,565.00 FEET, THROUGH A CENTRAL ANGLE OF 39'13'40" TO THE LEFT, AN ARC DISTANCE OF 1,071.48 FEET, TO THE POINT OF TANGENCY OF LAST SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 00'26'48" EAST, 1,050.68 FEET;

COURSE No. 2: RUN THENCE, SQUITH 20703'38" EAST, ALONG LAST SAID TANGENCY, A DISTANCE OF 1,300.37 FEET, TO THE POINT OF CURVATURE, OF A CURVE LEADING SQUITHEASTERLY, COURSE NO. 3: RUN THENCE SQUITHEASTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE NORTHEASTERLY, AND HANNING A RADIUS OF 1,115.00 FEET, THROUGH A CENTRAL ANGLE OF 1558'43" TO THE LEFT, AN ARC DISTANCE OF 310.30 FEET, TO THE POINT OF TANGENCY OF LAST, SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARINGE OF 310.30 FEET, TO THE POINT OF TANGENCY OF LAST, SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARINGE OF 310.30 FEET, TO THE POINT OF TANGENCY OF LAST, SAID CURVE, SAID ARC BEING SUBTENDED BY A CHORD BEARINGE OF 310.30 FEET, TO THE POINT OF TANGENCY OF LAST,

COURSE No. 4: RUN THENCE, SOUTH 36'00'21" EAST, ALONG LAST SAID TANGENCY, A DISTANCE OF 127.42 FEET TO THE POINT OF CURVATURE, OF A CURVE LEADING SOUTHEASTERLY;
COURSE No. 5: RUN THENCE SOUTHEASTERLY, ALONG AND AROUND THE ARC OF A CURVE, BEING CONCAVE SOUTHMESTERLY, AND HAVING A RADIUS OF 885.00 FEET, THROUGH A CENTRAL ANGLE OF
2354'4" TO THE RIGHT, AN ARC DISTANCE OF 411.00 FEET, TO A POINT ON THE SOUTHERLY LINE OF THAT 130 FOOT JACKSONVILLE (JEA) ELECTRIC AUTHORITY EASEMENT, AS RECORDED IN OFFICIAL RECORDS
BOOK 878, PAGE 1152 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA, LAST SAID ARC BEING SUBTENDED BY A CHORD BEARING AND DISTANCE OF SOUTH 24'02'59" EAST, 408.11 FEET; RUN
THENCE NORTH BY'46'09 INEST, ALONG THE SOUTHERLY LINE OF SAID 130 FOOT JACKSONVILLE (JEA) ELECTRIC AUTHORITY EASEMENT A DISTANCE OF 5,448.23 FEET, TO A POINT, SAID POINT BEAND THE
SOUTHEAST CORNER OF INGSE LANDS DESCRIBED AND RECORDED IN THAT SPECIAL MERRANTY DEED FROM GREENBRIAP PROPERTIES, LLC TO JEA, AS RECORDED IN OFFICIAL RECORDS BOOK 3253, PAGE 700,
OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA; RUN THENCE, ALONG THE EASTERLY LINE OF SAID LANDS DESCRIBED AND RECORDED IN OFFICIAL RECORDS BOOK 3253, PAGE 700 OF THE PUBLIC RECORDS, THE FOLLOWING FIFTEEN (15) COURSES AND DISTANCES:

PUBLIC RECORDS, THE FOLLOWING FIFTEEN (15) COURSES AND DISTANCES:
COURSE NO. 1: RUN THENCE, NORTH 02723T \$45T, A DISTANCE OF 128.66 FEET, TO A POINT;
COURSE NO. 3: RUN THENCE, NORTH 3673547 WEST, A DISTANCE OF 58.82 FEET, TO A POINT;
COURSE NO. 3: RUN THENCE, NORTH 3673547 WEST, A DISTANCE OF 58.82 FEET, TO A POINT;
COURSE NO. 5: RUN THENCE, NORTH 3673547 WEST, A DISTANCE OF 58.02 FEET, TO A POINT;
COURSE NO. 7: RUN THENCE, SOUTH 6672374 WEST, A DISTANCE OF 58.00 FEET, TO A POINT;
COURSE NO. 7: RUN THENCE, SOUTH 6672374 WEST, A DISTANCE OF 58.00 FEET, TO A POINT;
COURSE NO. 9: RUN THENCE, NORTH 5187407 WEST, A DISTANCE OF 58.00 FEET, TO A POINT;
COURSE NO. 9: RUN THENCE, NORTH 5187407 WEST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 11: RUN THENCE, NORTH 5187407 WEST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 12: RUN THENCE, NORTH 5187407 WEST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 13: RUN THENCE, NORTH 5187407 WEST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 5243337 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 54441327 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 61.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 64.65 FEET, TO A POINT;
COURSE NO. 15: RUN THENCE, NORTH 544507 EAST, A DISTANCE OF 64.65 FEET, TO A POINT;
COURSE NO. 25: RUN THENCE, NORTH 544507 EA

COURSE No. 9: RUN THENCE, NORTH 19'45'34" EAST, A DISTANCE OF 60.57 FEET, TO A POINT; COURSE No. 10: RUN THENCE, NORTH 20'55'41" EAST, A DISTANCE OF 59.57 FEET, TO A POINT; COURSE No. 11: RUN THENCE, NORTH 32'21'34" EAST, A DISTANCE OF 46.52 FEET, TO A POINT; COURSE No. 12: RUN THENCE, NORTH 30'48'52" EAST, A DISTANCE OF 56.66 FEET, TO A POINT; COURSE No. 13: RUN THENCE, NORTH 20'44'51" EAST, A DISTANCE OF 48.62 FEET, TO A POINT; COURSE No. 14: RUN THENCE NORTH 04'21'12" EAST, A DISTANCE OF 47.91 FEET, TO A POINT; COURSE No. 15: RUN THENCE, NORTH 06'57'45" EAST, A DISTANCE OF 63.14 FEET, TO A POINT; COURSE No. 16: RUN THENCE, NORTH 01'38'15" EAST, A DISTANCE OF 64.55 FEET, TO A POINT; COURSE No. 17: RUN THENCE, NORTH 09'03'59" EAST, A DISTANCE OF 80.87 FEET, TO A POINT; COURSE No. 18: RUN THENCE, NORTH 01'37'28" EAST, A DISTANCE OF 59.40 FEET, TO A POINT; COURSE No. 20: RUN THENCE, NORTH 31'02'7'4" EAST, A DISTANCE OF 33.22 FEET, TO A POINT, COURSE NO. 20: RUN THENCE, NORTH 32'02'7" EAST, A DISTANCE OF 33.22 FEET, TO A POINT, ON THE SOUTHERLY LINE OF THOSE LANDS DESCRIBED IN THAT SPECIAL WARRANTY DEED, FROM RAYONER TIMBERLANDS OPERATING COMPANY, LP TO ABERDED IN COUPMENT, LLC. AND RECORDED IN OFFICIAL RECORDS BOOK 2036, PAGE 1046 OF THE PUBLIC RECORDS OF SAID ST. JOHNS COUNTY, FLORIDA; RUN THENCE, SOUTH 87'48'21" EAST, ALONG THE AFORESAID SOUTHERLY LINE OF LAST SAID LANDS, A

DISTANCE OF 718.57 FEET. TO THE SOUTHEAST CORNER OF LAST SAID LANDS: RUN THENCE, ALONG THE EASTERLY LINE OF LAST SAID LANDS. THE FOLLOWING TWO (2) COURSES AND DISTANCES. COURSE No. 1: NORTH 03:57'40" WEST, A DISTANCE OF 3,162.69 FEET, TO A POINT; COURSE No. 2: NORTH 02'35'39" WEST, A DISTANCE OF 263.84 FEET TO AFORESAID SOUTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 244 WEST, AND THE POINT OF BEGINNING

THE LANDS THUS DESCRIBED CONTAINS 17,217,407 SQUARE FEET, OR 395.25 ACRES, MORE OR LESS, IN AREA.

EXHIBIT 2A

PARCEL LEGAL DESCRIPTIONS

May 25, 2021